Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 1 of 28 ©2024 American Dental Association (ADA). All rights reserved.

CDT Code(s)

| D0120 | periodic oral evaluation – established patient |
|-------|--------------------------------------------------------------------------------------------|
| D0140 | limited oral evaluation – problem focused |
| D0150 | comprehensive oral evaluation – new or established patient |
| D0210 | intraoral – comprehensive series of radiographic images |
| D0220 | intraoral – periapical first radiographic image |
| D0230 | intraoral – periapical each additional radiographic image |
| D0251 | extra-oral posterior dental radiographic image |
| D0270 | bitewing – single radiographic image |
| D0272 | bitewings – two radiographic images |
| D0274 | bitewings – four radiographic images |
| D0330 | panoramic radiographic image |
| D0372 | intraoral tomosynthesis – comprehensive series of radiographic images |
| D0373 | intraoral tomosynthesis – bitewing radiographic image |
| D0374 | intraoral tomosynthesis – periapical radiographic image |
| D0387 | intraoral tomosynthesis – comprehensive series of radiographic images – image capture only |
| D0388 | intraoral tomosynthesis – bitewing radiographic image – image capture only |
| D0389 | intraoral tomosynthesis – periapical radiographic image – image capture only |
| D0701 | panoramic radiographic image – image capture only |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk

Page 2 of 28 ©2024 American Dental Association (ADA). All rights reserved.

D0707 intraoral – periapical radiographic image – image capture only

D0708 intraoral – bitewing radiographic image – image capture only

CDT Code(s)

- D0709 intraoral comprehensive series of radiographic images image capture only
- D0999 unspecified diagnostic procedure, by report

Suggested ICD-10-CM Diagnosis Code(s)

| Z01.20 | Encounter for dental examination and cleaning without abnormal findings |
|--------|-------------------------------------------------------------------------|
| Z01.21 | Encounter for dental examination and cleaning with abnormal findings |
| Z13.84 | Encounter screening for dental disorders |
| Z86.16 | Personal History of CoVid-19 |
| U07.1 | COVID-19 |

CDT Code(s)

| D1110 | prophylaxis – adult |
|-------|---------------------|
| D1120 | prophylaxis – child |
| | |

Suggested ICD-10-CM Diagnosis Code(s)

| E11.9 | Type 2 diabetes mellitus without complications |
|--------|------------------------------------------------|
| K03.6 | Deposits [accretions] on teeth |
| K05.1 | Chronic gingivitis |
| K05.10 | Chronic gingivitis, plaque induced |

ADA American Dental Association®

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 3 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggestee | d ICD-10-CM Diagnosis Code(s) |
|-------------|---------------------------------------------------------|
| K05.11 | Chronic gingivitis, non-plaque induced |
| K05.30 | Chronic periodontitis |
| K05.311 | Chronic periodontitis, localized, slight |
| K05.312 | Chronic periodontitis, localized, moderate |
| K05.313 | Chronic periodontitis, localized, severe |
| K05.319 | Chronic periodontitis, localized, unspecified severity |
| Z33.1 | Pregnant state, incidental |
| Z72.0 | Tobacco Use |
| CDT Code(s) | |
| D1206 | topical application of fluoride varnish |
| D1208 | topical application of fluoride, excluding varnish |
| Suggestee | d ICD-10-CM Diagnosis Code(s) |
| K02.3 | Arrested dental caries |
| K02.61 | Dental caries on smooth surface limited to enamel |
| K02.62 | Dental caries on smooth surface penetrating into dentin |
| K02.63 | Dental caries on smooth surface penetrating into pulp |
| K02.7 | Dental root caries |
| K03.1 | Abrasion of teeth |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 4 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested ICD-10-CM Diagnosis Code(s) | |
|---------------------------------------|------------------------------------------------------------------|
| K03.2 | Erosion of teeth |
| M35.00 | Sjögren* syndrome, unspecified |
| M35.0C | Sjögren* syndrome with dental involvement |
| CDT Code | (s) |
| D1330 | oral hygiene instructions |
| Suggested | I ICD-10-CM Diagnosis Code(s |
| E11.9 | Type 2 diabetes mellitus without complications |
| K02.3 | Arrested dental caries |
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin |
| K02.61 | Dental caries limited to enamel |
| K02.62 | Dental caries on smooth surface penetrating into dentin |
| K02.63 | Dental caries on smooth surface penetrating into pulp |
| K02.7 | Dental root caries |
| K02.9 | Dental caries, unspecified |
| K03.2 | Erosion of teeth |
| K03.6 | Deposits [accretions] on teeth |
| K05.00 | Acute gingivitis, plaque induced |
| K05.01 | Acute gingivitis, non-plaque induced |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 5 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested ICD-10-CM Diagnosis Code(s) | |
|---------------------------------------|----------------------------------------------------------------|
| K05.10 | Chronic gingivitis, plaque induced |
| K05.30 | Chronic periodontitis, unspecified |
| K05.311 | Chronic periodontitis, localized, slight |
| K05.312 | Chronic periodontitis, localized, moderate |
| K05.313 | Chronic periodontitis, localized, severe |
| K05.319 | Chronic periodontitis, localized, unspecified severity |
| K05.5 | Other periodontal diseases |
| M35.00 | Sjögren* syndrome, unspecified |
| M35.0C | Sjögren* syndrome with dental involvement |
| Z33.1 | Pregnant state, incidental |
| K05.10 | Chronic gingivitis, plaque induced |
| Z72.0 | Tobacco use |
| CDT Code(s) | |
| D1351 | sealant – per tooth |
| D1354 | interim caries arresting medicament application – per tooth |
| D2990 | resin infiltration of incipient smooth surface lesions |
| Suggested ICD-10-CM Diagnosis Code(s) | |
| K02.51 | Dental caries on pit and fissure surface limited to enamel |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp |
| K02.61 | Dental caries on smooth surface limited to enamel |
| K02.62 | Dental caries on smooth surface penetrating into dentin |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 6 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| CDT Code(s) | |
|-------------|--------------------------------------------------------------------------------------|
| D1701 | Pfizer-BioNTech Covid-19 vaccine administration – first dose |
| D1702 | Pfizer-BioNTech Covid-19 vaccine administration – second dose |
| D1703 | Moderna Covid-19 vaccine administration – first dose |
| D1704 | Moderna Covid-19 vaccine administration – second dose |
| D1705 | AstraZeneca Covid-19 vaccine administration – first dose |
| D1706 | AstraZeneca Covid-19 vaccine administration – second dose |
| D1707 | Janssen Covid-19 vaccine administration |
| D1708 | Pfizer-BioNTech Covid-19 vaccine administration – third dose |
| D1709 | Pfizer-BioNTech Covid-19 vaccine administration – booster dose |
| D1710 | Moderna Covid-19 vaccine administration – third dose |
| D1711 | Moderna Covid-19 vaccine administration – booster dose |
| D1712 | Janssen Covid-19 vaccine administration - booster dose |
| D1713 | Pfizer-BioNTech Covid-19 vaccine administration tris-sucrose pediatric – first dose |
| D1714 | Pfizer-BioNTech Covid-19 vaccine administration tris-sucrose pediatric – second dose |
| D1781 | vaccine administration – human papillomavirus – Dose 1 |
| D1782 | vaccine administration – human papillomavirus – Dose 2 |
| D1783 | vaccine administration – human papillomavirus – Dose 3 |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 7 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested I | CD-10-CM Diagnosis Code(s) |
|-------------|-------------------------------------------------------------------------------------|
| Z23 | Immunization |
| CDT Code(s |) |
| D2140 | amalgam – one surface, primary or permanent |
| D2150 | amalgam – two surfaces, primary or permanent |
| D2160 | amalgam – three surfaces, primary or permanent |
| D2161 | amalgam – four or more surfaces, primary or permanent |
| Suggested I | CD-10-CM Diagnosis Code(s) |
| K02.51 | Dental caries on pit and fissure surface limited to enamel |
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp |
| K02.61 | Dental caries on smooth surface limited to enamel |
| K02.62 | Dental caries on smooth surface penetrating into dentin |
| K02.63 | Dental caries on smooth surface penetrating into pulp |
| K03.81 | Cracked tooth |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture |
| CDT Code(s) | |
| D2330 | resin-based composite – one surface, anterior |
| D2331 | resin-based composite – two surfaces, anterior |
| D2332 | resin-based composite – three surfaces, anterior |
| D2335 | resin-based composite – four or more surfaces or involving incisal angle (anterior) |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 8 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| K00.2 | Abnormalities of size and form of teeth |
|-------------|----------------------------------------------------------------------|
| K02.51 | Dental caries on pit and fissure surface limited to enamel |
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp |
| K02.61 | Dental caries on smooth surface limited to enamel |
| K02.62 | Dental caries on smooth surface penetrating into dentin |
| K02.63 | Dental caries on smooth surface penetrating into pulp |
| K03.1 | Abrasion of teeth |
| K03.2 | Erosion of teeth |
| K03.81 | Cracked tooth |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture |
| CDT Code(s) | |
| D2391 | resin-based composite – one surface, posterior |
| D2392 | resin-based composite – two surfaces, posterior |
| D2393 | resin-based composite – three surfaces, posterior |
| D2394 | resin-based composite – four or more surfaces, posterior |



Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 9 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| K02.51Dental caries on pit and fissure surface limited to ename!K02.52Dental caries on pit and fissure surface penetrating into dentinK02.53Dental caries on pit and fissure surface penetrating into pulpK02.61Dental caries on smooth surface limited to ename!K02.62Dental caries on smooth surface penetrating into dentinK02.63Dental caries on smooth surface penetrating into dentinK02.64Dental caries on smooth surface penetrating into pulpK02.65Dental caries on smooth surface penetrating into pulpK02.61Dental core cariesK03.7Dental root cariesK03.2Erosion of teethK03.81Cracked toothK03.81Cracked tooth (traumatic), initial encounter for closed fractureCDT Code(S)Crown – porcelain/ceramicD2740crown – porcelain fused to high noble metalD2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to titanium and titanium alloysD2790crown – porcelain fused to titanium and titanium alloysD2791crown – full cast noble metalD2792crown – full cast noble metalD2794crown – full cast noble metalD2795crown – full cast noble metalD2790crown – full cast noble metalD2791crown – full cast noble metalD2792crown – full cast noble metalD2794crown – full cast noble metalD2795crown – full cast noble metalD2790crown – full cast noble metalD2791crown | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| K02.53Dental caries on pit and fissure surface penetrating into pulpK02.61Dental caries on smooth surface limited to enamelK02.62Dental caries on smooth surface penetrating into dentinK02.63Dental caries on smooth surface penetrating into pulpK02.63Dental cort cariesK03.7Dental root cariesK03.1Abrasion of teethK03.2Erosion of teethK03.81Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureCDT Code(s)D2750crown – porcelain/ceramicD2751crown – porcelain fused to high noble metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to itanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | K02.51 | Dental caries on pit and fissure surface limited to enamel |
| K02.61Dental caries on smooth surface limited to enamelK02.62Dental caries on smooth surface penetrating into dentinK02.63Dental caries on smooth surface penetrating into pulpK02.7Dental root cariesK03.1Abrasion of teethK03.2Erosion of teethK03.31Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureCDT Code(s)D2740crown – porcelain/ceramicD2750crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to noble metalD2754crown – porcelain fused to noble metalD2755crown – porcelain fused to noble metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to noble metalD2790crown – porcelain fused to noble metalD2790crown – full cast high noble metalD2792crown – full cast noble metal | K02.52 | Dental caries on pit and fissure surface penetrating into dentin |
| K02.62Dental caries on smooth surface penetrating into dentinK02.63Dental caries on smooth surface penetrating into pulpK02.7Dental root cariesK03.1Abrasion of teethK03.2Erosion of teethK03.81Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureD2740crown – porcelain/ceramicD2751crown – porcelain fused to high noble metalD2752crown – porcelain fused to predominantly base metalD2753crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | K02.53 | Dental caries on pit and fissure surface penetrating into pulp |
| K02.63Dental caries on smooth surface penetrating into pulpK02.7Dental root cariesK03.1Abrasion of teethK03.2Erosion of teethK03.81Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureCDT Code(s)D2740crown – porcelain/ceramicD2750crown – porcelain fused to high noble metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to noble metalD2754crown – porcelain fused to titanium and titanium alloysD2759crown – porcelain fused to titanium and titanium alloysD2790crown – full cast noble metalD2792crown – full cast noble metal | K02.61 | Dental caries on smooth surface limited to enamel |
| K02.7Dental root cariesK03.1Abrasion of teethK03.2Erosion of teethK03.81Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureCDT Code(s)D2740crown – porcelain/ceramicD2750crown – porcelain fused to high noble metalD2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | K02.62 | Dental caries on smooth surface penetrating into dentin |
| K03.1Abrasion of teethK03.2Erosion of teethK03.81Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureCDT Code(s)D2740crown – porcelain/ceramicD2750crown – porcelain fused to high noble metalD2752crown – porcelain fused to predominantly base metalD2753crown – porcelain fused to noble metalD2754crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | K02.63 | Dental caries on smooth surface penetrating into pulp |
| K03.2Erosion of teethK03.81Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureCDT Code(s)Cown – porcelain/ceramicD2740crown – porcelain fused to high noble metalD2750crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to noble metalD2790crown – porcelain fused to titanium and titanium alloysD2791crown – full cast high noble metalD2792crown – full cast noble metal | K02.7 | Dental root caries |
| K03.81Cracked toothS02.5XXAFracture of tooth (traumatic), initial encounter for closed fracture CDT Code(s) D2740crown – porcelain/ceramicD2750crown – porcelain fused to high noble metalD2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to noble metalD2754crown – porcelain fused to noble metalD2755crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | K03.1 | Abrasion of teeth |
| S02.5XXAFracture of tooth (traumatic), initial encounter for closed fractureCDT Code(s)D2740crown – porcelain/ceramicD2750crown – porcelain fused to high noble metalD2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to noble metalD2790crown – porcelain fused to noble metalD2791crown – porcelain fused to noble metalD2792crown – porcelain fused to titanium and titanium alloysD2792crown – full cast noble metal | K03.2 | Erosion of teeth |
| CDT Code(s)D2740crown – porcelain/ceramicD2750crown – porcelain fused to high noble metalD2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | K03 81 | Cracked tooth |
| D2740crown – porcelain/ceramicD2750crown – porcelain fused to high noble metalD2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | 1100.01 | |
| D2750crown – porcelain fused to high noble metalD2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | | |
| D2751crown – porcelain fused to predominantly base metalD2752crown – porcelain fused to noble metalD2753crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture |
| D2752crown – porcelain fused to noble metalD2753crown – porcelain fused to titanium and titanium alloysD2790crown – full cast high noble metalD2792crown – full cast noble metal | S02.5XXA CDT Code(s) | Fracture of tooth (traumatic), initial encounter for closed fracture |
| D2753 crown – porcelain fused to titanium and titanium alloys D2790 crown – full cast high noble metal D2792 crown – full cast noble metal | S02.5XXA CDT Code(s) D2740 | Fracture of tooth (traumatic), initial encounter for closed fracture crown – porcelain/ceramic |
| D2790 crown – full cast high noble metal D2792 crown – full cast noble metal | S02.5XXA CDT Code(s) D2740 D2750 | Fracture of tooth (traumatic), initial encounter for closed fracture crown – porcelain/ceramic crown – porcelain fused to high noble metal |
| D2792 crown – full cast noble metal | S02.5XXA CDT Code(s) D2740 D2750 D2751 | Fracture of tooth (traumatic), initial encounter for closed fracture crown – porcelain/ceramic crown – porcelain fused to high noble metal crown – porcelain fused to predominantly base metal |
| | S02.5XXA CDT Code(s) D2740 D2750 D2751 D2752 | Fracture of tooth (traumatic), initial encounter for closed fracture crown – porcelain/ceramic crown – porcelain fused to high noble metal crown – porcelain fused to predominantly base metal crown – porcelain fused to noble metal |
| D2794 crown – titanium and titanium alloys | S02.5XXA CDT Code(s) D2740 D2750 D2751 D2752 D2753 | Fracture of tooth (traumatic), initial encounter for closed fracture crown – porcelain/ceramic crown – porcelain fused to high noble metal crown – porcelain fused to predominantly base metal crown – porcelain fused to noble metal crown – porcelain fused to noble metal |
| | S02.5XXA CDT Code(s) D2740 D2750 D2751 D2752 D2753 D2790 | Fracture of tooth (traumatic), initial encounter for closed fracture crown – porcelain/ceramic crown – porcelain fused to high noble metal crown – porcelain fused to predominantly base metal crown – porcelain fused to noble metal crown – porcelain fused to noble metal crown – porcelain fused to titanium and titanium alloys crown – full cast high noble metal |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 10 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested ICD-10-CM Diagnosis Code(s) | | |
|---------------------------------------|----------------------------------------------------------------------|--|
| K00.2 | Abnormalities of size and form of teeth | |
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin | |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp | |
| K02.62 | Dental caries on smooth surface penetrating into dentin | |
| K02.63 | Dental caries on smooth surface penetrating into pulp | |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture | |
| CDT Code(s) | | |
| D2928 | prefabricated porcelain/ceramic crown – permanent tooth | |
| D2930 | prefabricated stainless steel crown – primary tooth | |
| Suggested ICD-10-CM Diagnosis Code(s) | | |
| K00.2 | Abnormalities of size and form of teeth | |
| K02.52 | Dental caries on pit and fissure surface penetrating into dentine | |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp | |
| K02.62 | Dental caries on smooth surface penetrating into dentine | |
| K02.63 | Dental caries on smooth surface penetrating into pulp | |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture | |
| CDT Code(s) | | |

D2940 protective restoration

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 11 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested ICD-10-CM Diagnosis Code(s) | | | |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| K02.9 | Dental caries, unspecified | | |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture | | |
| CDT Code(s) | CDT Code(s) | | |
| D3110 | pulp cap – direct (excluding final restoration) | | |
| D3120 | pulp cap – indirect (excluding final restoration) | | |
| Suggested I | Suggested ICD-10-CM Diagnosis Code(s) | | |
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin | | |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp | | |
| K02.62 | Dental caries on smooth surface penetrating into dentin | | |
| K02.63 | Dental caries on smooth surface penetrating into pulp | | |
| K04.0 | Pulpitis | | |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture | | |
| CDT Code(s | | | |
| D3220 | , therapeutic pulpotomy (excluding final restoration) – removal of pulp coronal to the dentinocemental junction and application of medicament | | |
| D3310 | endodontic therapy, anterior tooth (excluding final restoration) | | |
| D3320 | endodontic therapy, premolar tooth (excluding final restoration) | | |
| D3330 | endodontic therapy, molar tooth (excluding final restoration) | | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 12 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| K02.53 | Dental caries on pit and fissure surface penetrating into pulp |
|----------|----------------------------------------------------------------------|
| K02.63 | Dental caries on smooth surface penetrating into pulp |
| K03.81 | Cracked tooth |
| K03.89 | Other specified diseases of hard tissues of teeth |
| K04.0 | Pulpitis |
| K04.1 | Necrosis of pulp |
| K04.5 | Chronic apical periodontitis |
| K04.6 | Periapical abscess with sinus |
| K04.7 | Periapical abscess without sinus |
| K04.8 | Radicular cyst |
| K04.90 | Unspecified diseases of pulp and periapical tissues |
| K04.99 | Other diseases of pulp and periapical tissues |
| K05.5 | Other periodontal diseases |
| K08.8 | Other specified disorders of teeth and supporting structures |
| K08.81 | Primary occlusal trauma |
| K08.82 | Secondary occlusal trauma |
| K08.89 | Other specified disorders of teeth and supporting structures |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 13 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| CDT Code(s) | | | |
|-------------|----------------------------------------------------------------------------------------------------|--|--|
| D3346 | retreatment of previous root canal therapy – anterior | | |
| D3347 | retreatment of previous root canal therapy – premolar | | |
| D3348 | retreatment of previous root canal therapy – molar | | |
| Suggested I | Suggested ICD-10-CM Diagnosis Code(s) | | |
| K08.59 | Other unsatisfactory restoration of tooth | | |
| M27.5 | Periradicular pathology associated with previous endodontic treatment | | |
| M27.51 | Perforation of root canal space due to endodontic treatment | | |
| M27.52 | Endodontic overfill | | |
| M27.53 | Endodontic undersell | | |
| M27.59 | Other periradicular pathology associated with previous endodontic treatment | | |
| CDT Code(s) | | | |
| D4210 | gingivectomy or gingivoplasty – four or more contiguous teeth or tooth bounded spaces per quadrant | | |
| D4211 | gingivectomy or gingivoplasty – one to three contiguous teeth or tooth bounded spaces per quadrant | | |
| Suggested I | CD-10-CM Diagnosis Code(s) | | |
| K05.30 | Chronic periodontitis, unspecified | | |
| K05.31 | Chronic periodontitis, localized | | |
| K05.311 | Chronic periodontitis, localized, slight | | |
| K05.312 | Chronic periodontitis, localized, moderate | | |
| K05.313 | Chronic periodontitis, localized, severe | | |
| K05.319 | Chronic periodontitis, localized, unspecified severity | | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 14 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| K05.32 | Chronic periodontitis, generalized |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| CDT Code(s) | |
| D4260 | osseous surgery (including elevation of a full thickness flap and closure) – four or more contiguous teeth or tooth bounded spaces per quadrant |
| D4261 | osseous surgery (including elevation of a full thickness flap and closure) – one to three contiguous teeth or tooth bounded spaces per quadrant |
| D4263 | bone replacement graft – retained natural tooth – first site in quadrant |
| D4264 | bone replacement graft – retained natural tooth – each additional site in quadrant |
| Suggested I | CD-10-CM Diagnosis Code(s) |
| K05.211 | Aggressive periodontitis, localized, slight |
| K05.212 | Aggressive periodontitis, localized, moderate |
| K05.213 | Aggressive periodontitis, localized, severe |
| K05.219 | Aggressive periodontitis, localized, unspecified severity |
| K05.221 | Aggressive periodontitis, generalized, slight |
| K05.222 | Aggressive periodontitis, generalized, moderate |
| K05.223 | Aggressive periodontitis, generalized, severe |
| K05.229 | Aggressive periodontitis, generalized, unspecified severity |
| K05.30 | Chronic periodontitis |
| K05.311 | Chronic periodontitis, localized, slight |
| K05.312 | Chronic periodontitis, localized, moderate |
| K05.313 | Chronic periodontitis, localized, severe |
| K05.319 | Chronic periodontitis, localized, unspecified severity |
| K05.321 | Chronic periodontitis, generalized, slight |
| K05.322 | Chronic periodontitis, generalized, moderate |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 15 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| K05.323Chronic periodontitis, generalized, severeK05.329Chronic periodontitis, generalized, unspecified severityK05.6Periodontal disease, unspecifiedK08.20Unspecified atrophy of edentulous alveolar ridgeK08.21Minimal atrophy of the mandibleK08.22Moderate atrophy of the mandibleK08.23Severe atrophy of the mandibleK08.24Minimal atrophy of the maxilla | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| K05.6Periodontal disease, unspecifiedK08.20Unspecified atrophy of edentulous alveolar ridgeK08.21Minimal atrophy of the mandibleK08.22Moderate atrophy of the mandibleK08.23Severe atrophy of the mandible | |
| K08.20Unspecified atrophy of edentulous alveolar ridgeK08.21Minimal atrophy of the mandibleK08.22Moderate atrophy of the mandibleK08.23Severe atrophy of the mandible | |
| K08.21Minimal atrophy of the mandibleK08.22Moderate atrophy of the mandibleK08.23Severe atrophy of the mandible | |
| K08.22Moderate atrophy of the mandibleK08.23Severe atrophy of the mandible | |
| K08.23 Severe atrophy of the mandible | |
| | |
| K08.24 Minimal atrophy of the maxilla | |
| | |
| K08.25 Moderate atrophy of the maxilla | |
| K08.26 Severe atrophy of the maxilla | |
| CDT Code(s) | |
| D4270 pedicle soft tissue graft procedure | |
| D4273 autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position in graft | |
| D4275 non-autogenous connective tissue graft (including recipient site and donor material) first tooth, implant, or edentulous tooth position in graft | |
| D4276 combined connective tissue and pedicle graft, per tooth | |
| D4277 free soft tissue graft procedure (including recipient and donor surgical sites) first tooth, implant or edentulous tooth position in graft | |
| free soft tissue graft procedure (including recipient and donor surgical sites) D4278 each additional contiguous tooth, implant or edentulous tooth position in same graft site | |
| D4283autogenous connective tissue graft procedure (including donor and recipient surgical sites) – each additional contiguous tooth, implant or edentulous tooth position in same graft site | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 16 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| | non- autogenous connective tissue graft procedure (including recipient surgical |
|-------|---------------------------------------------------------------------------------|
| D4285 | site and donor material) – each additional contiguous tooth, implant or |
| | edentulous tooth position in same graft site |

Suggested ICD-10-CM Diagnosis Code(s)

| K06.010 | Localized gingival recession, unspecified |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| K06.011 | Localized gingival recession, minimal |
| K06.012 | Localized gingival recession, moderate |
| K06.013 | Localized gingival recession, severe |
| K06.020 | Generalized gingival recession, unspecified |
| K06.021 | Generalized gingival recession, minimal |
| K06.022 | Generalized gingival recession, moderate |
| K06.023 | Generalized gingival recession, severe |
| CDT Code(s) | |
| D4341 | periodontal scaling and root planing – four or more teeth per quadrant |
| D4342 | periodontal scaling and root planing – one to three teeth per quadrant |
| D4346 | scaling in the presence of generalized moderate or severe gingival inflammation – full mouth, after oral evaluation |
| D4910 | periodontal maintenance |
| D6081 | scaling and debridement in the presence of inflammation or mucositis of a single implant, including cleaning of the implant surfaces, without flap entry and closure |



Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 17 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested ICD-10-CM Diagnosis Code(s) | |
|---------------------------------------|-------------------------------------------------------------|
| A69.1 | Other Vincent's infections |
| E11.9 | Type 2 diabetes mellitus without complications |
| K03.6 | Deposits [accretions] on teeth |
| K05.20 | Aggressive periodontitis, unspecified |
| K05.211 | Aggressive periodontitis, localized, slight |
| K05.212 | Aggressive periodontitis, localized, moderate |
| K05.213 | Aggressive Periodontitis, localized, severe |
| K05.219 | Aggressive periodontitis, localized, unspecified severity |
| K05.221 | Aggressive periodontitis, generalized, slight |
| K05.222 | Aggressive periodontitis, generalized, moderate |
| K05.223 | Aggressive periodontitis, generalized, severe |
| K05.229 | Aggressive periodontitis, generalized, unspecified severity |
| K05.30 | Chronic periodontitis |
| K05.311 | Chronic periodontitis, localized, slight |
| K05.312 | Chronic periodontitis, localized, moderate |
| K05.313 | Chronic periodontitis, localized, severe |
| K05.319 | Chronic periodontitis, localized, unspecified severity |
| K05.321 | Chronic periodontitis, generalized, slight |
| K05.322 | Chronic periodontitis, generalized, moderate |
| K05.323 | Chronic periodontitis, generalized, severe |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 18 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| K05.323 | Chronic periodontitis, generalized, severe | |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------|--|
| K05.329 | Chronic periodontitis, generalized, unspecified severity | |
| K05.5 | Other periodontal diseases | |
| K05.6 | Periodontal disease, unspecified | |
| K06.1 | Gingival enlargement | |
| Z33.1 | Pregnant state, incidental | |
| Z72.0 | Tobacco Use | |
| Z87.891 | Personal history of nicotine dependence | |
| CDT Code(s) | | |
| D4355 | full mouth debridement to enable a comprehensive periodontal evaluation and diagnosis on a subsequent visit | |
| Suggested ICD-10-CM Diagnosis Code(s) | | |
| K03.6 | Deposits [accretions] on teeth | |
| Z72.0 | Tobacco Use | |
| Z87.891 | Personal history of nicotine dependence | |
| CDT Code(s) | | |
| D5110 | complete denture – maxillary | |
| D5120 | complete denture – mandibular | |
| | | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 19 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested I | Suggested ICD-10-CM Diagnosis Code(s) | |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|--|
| K08.1 | Complete loss of teeth | |
| K08.10 | Complete loss of teeth, unspecified cause | |
| K08.11 | Complete loss of teeth due to trauma | |
| K08.12 | Complete loss of teeth due to periodontal diseases | |
| K08.13 | Complete loss of teeth due to caries | |
| K08.19 | Complete loss of teeth due to other specified cause | |
| CDT Code(s |) | |
| D5211 | maxillary partial denture – resin base (including any retentive/clasping materials, rests, and teeth) | |
| D5212 | mandibular partial denture – resin base (including retentive/clasping materials, rests, and teeth) | |
| D5213 | maxillary partial denture – cast metal framework with resin denture bases (including any retentive/clasping materials, rests and teeth) | |
| D5214 | mandibular partial denture – cast metal framework with resin denture bases (including any retentive/clasping materials, rests and teeth) | |
| D6010 | surgical placement of implant body: endosteal implant | |
| D6056 | prefabricated abutment – includes modification and placement | |
| D6057 | custom fabricated abutment – includes placement | |
| D6059 | abutment supported porcelain fused to metal crown (high noble metal) | |
| D6240 | pontic – porcelain fused to high noble metal | |
| D6750 | retainer crown – porcelain fused to high noble metal | |
| D6752 | retainer crown – porcelain fused to noble metal | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 20 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| .CDT Code(s) | | |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------|--|
| D5211 | maxillary partial denture – resin base (including any retentive/clasping materials, rests, and teeth) | |
| D5212 | mandibular partial denture – resin base (including retentive/clasping materials, rests, and teeth) | |
| D5213 | maxillary partial denture – cast metal framework with resin denture bases (including any retentive/clasping materials, rests and teeth) | |
| D5214 | mandibular partial denture – cast metal framework with resin denture bases (including any retentive/clasping materials, rests and teeth) | |
| D6010 | surgical placement of implant body: endosteal implant | |
| D6056 | prefabricated abutment – includes modification and placement | |
| D6057 | custom fabricated abutment – includes placement | |
| D6059 | abutment supported porcelain fused to metal crown (high noble metal) | |
| D6240 | pontic – porcelain fused to high noble metal | |
| D6750 | retainer crown – porcelain fused to high noble metal | |
| D6752 | retainer crown – porcelain fused to noble metal | |
| Suggested I | CD-10-CM Diagnosis Code(s) | |
| K00.00 | Anodontia | |
| K08.409 | Partial loss of teeth, unspecified cause, unspecified class | |
| K08.419 | Partial loss of teeth due to trauma, unspecified class | |
| K08.429 | Partial loss of teeth due to periodontal diseases, unspecified class | |
| K08.439 | Partial loss of teeth due to caries, unspecified class | |
| K08.499 | Partial loss of teeth due to other specified cause, unspecified class | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 21 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| CDT Code(s) | | |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--|
| D7111 | extraction, coronal remnants – primary tooth | |
| D7250 | removal of residual tooth roots (cutting procedure) | |
| Suggested ICD-10-CM Diagnosis Code(s) – ICD-10-CM | | |
| K03.9 | Disease of hard tissues of teeth, unspecified | |
| CDT Code(s) | | |
| D7140 | extraction, erupted tooth or exposed root (elevation and/or forceps removal) | |
| D7210 | extraction, erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | |
| Suggested ICD-10-CM Diagnosis Code(s) | | |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp | |
| K02.63 | Dental caries on smooth surface penetrating into pulp | |
| K04.01 | Reversible pulpitis | |
| K04.02 | Irreversible pulpitis | |
| K04.1 | Necrosis of the pulp | |
| K04.5 | Chronic apical periodontitis | |
| K04.6 | Periapical abscess with sinus | |
| K04.7 | Periapical abscess without sinus | |
| K04.8 | Radicular cyst | |
| K05.211 | Aggressive periodontitis, localized, slight | |
| K05.212 | Aggressive periodontitis, localized, moderate | |
| K05.213 | Aggressive periodontitis, localized, severe | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 22 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| K05.219 | Aggressive periodontitis, localized, unspecified severity |
|-------------|-----------------------------------------------------------------------------|
| K05.3 | Chronic periodontitis |
| K05.311 | Chronic periodontitis, localized, slight |
| K05.312 | Chronic periodontitis, localized, moderate |
| K05.313 | Chronic periodontitis, localized, severe |
| K05.319 | Chronic periodontitis, localized, unspecified severity |
| K08.439 | Partial loss of teeth due to caries, unspecified class |
| K09.0 | Developmental odontogenic cysts |
| L02.91 | Cutaneous abscess, unspecified |
| L03.90 | Cellulitis, unspecified |
| L03.91 | Acute lymphangitis, unspecified |
| R44.8 | Other symptoms and signs involving general sensations and perceptions |
| R44.9 | Unspecified symptoms and signs involving general sensations and perceptions |
| R69 | Illness, unspecified |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture |
| S02.5XXB | Fracture of tooth (traumatic), initial encounter for open fracture |
| S03.2XXA | Dislocation of tooth, initial encounter |
| CDT Code(s) | |
| D7220 | removal of impacted tooth – soft tissue |
| D7230 | removal of impacted tooth – partially bony |
| D7240 | removal of impacted tooth – completely bony |
| | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 23 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested ICD-10-CM Diagnosis Code(s) | | |
|---------------------------------------|----------------------------------------------------------------|--|
| K00.1 | Supernumerary teeth | |
| K00.6 | Disturbances in tooth eruption | |
| K01.0 | Embedded teeth | |
| K01.1 | Impacted teeth | |
| K09.0 | Developmental odontogenic cysts | |
| CDT Code(s) | | |
| D7953 | bone replacement graft for ridge preservation – per site | |
| Suggested ICD-10-CM Diagnosis Code(s) | | |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp | |
| K02.63 | Dental caries on smooth surface penetrating into pulp | |
| K04.01 | Reversible pulpitis | |
| K04.02 | Irreversible pulpitis | |
| K04.1 | Necrosis of pulp | |
| K04.5 | Chronic apical periodontitis | |
| K04.6 | Periapical abscess with sinus | |
| K04.7 | Periapical abscess without sinus | |
| K04.8 | Radicular cyst | |
| K05.211 | Aggressive periodontitis, localized, slight | |
| K05.212 | Aggressive periodontitis, localized, moderate | |
| K05.213 | Aggressive periodontitis, localized, severe | |
| K05.219 | Aggressive periodontitis, localized, unspecified severity | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 24 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| K05.30 | Chronic periodontitis, unspecified | |
|---------------------------------------|----------------------------------------------------------------------|--|
| K05.311 | Chronic periodontitis, localized, slight | |
| K05.312 | Chronic periodontitis, localized, moderate | |
| K05.313 | Chronic periodontitis, localized, severe | |
| K05.319 | Chronic periodontitis, localized, unspecified severity | |
| K05.321 | Chronic periodontitis, generalized, slight | |
| K05.322 | Chronic periodontitis, generalized, moderate | |
| K05.323 | Chronic periodontitis, generalized, severe | |
| K05.329 | Chronic periodontitis, generalized, unspecified severity | |
| K09.0 | Developmental odontogenic cysts | |
| S02.5XXA | Fracture of tooth (traumatic), initial encounter for closed fracture | |
| S02.5XXB | Fracture of tooth (traumatic), initial encounter for open fracture | |
| S03.2XXA | Dislocation of tooth, initial encounter | |
| CDT Code(s) | | |
| D8080 | comprehensive orthodontic treatment of the adolescent dentition | |
| Suggested ICD-10-CM Diagnosis Code(s) | | |
| K00.0 | Anodontia | |
| K00.6 | Disturbances in tooth eruption | |
| K08.8 | Other specified disorders of teeth and supporting structures | |
| M26.212 | Malocclusion, Angle's class II | |
| M26.213 | Malocclusion, Angle's class III | |
| | | |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk

Page 25 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s) M26.24 **Reverse** articulation M26.29 Other anomalies of dental arch relationship M26.30 Unspecified anomaly of tooth position of fully erupted tooth or teeth M26.31 Crowding of fully erupted teeth Rotation of fully erupted tooth or teeth M26.35 M26.39 Other anomalies of tooth position of fully erupted tooth or teeth Malocclusion, unspecified M26.4 M26.81 Anterior soft tissue impingement M26.82 Posterior soft tissue impingement M26.89 Other dentofacial anomalies Q67.4 Other congenital deformities of skull, face, and jaw CDT Code(s) D9110 palliative treatment of dental pain - per visit Suggested ICD-10-CM Diagnosis Code(s) K02.53 Dental caries on pit and fissure surface penetrating into pulp K02.63 Dental caries on smooth surface penetrating into pulp K04.01 Reversible pulpitis K04.02 Irreversible pulpitis K04.6 Periapical abscess with sinus K04.7 Periapical abscess without sinus

ADA American Dental Association®

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 26 of 28 ©2024 American Dental Association (ADA). All rights reserved.

| Suggested ICD-10-CM Diagnosis Code(s) | |
|---------------------------------------|----------------------------------------------------------------|
| M26.601 | Right temporomandibular joint disorder, unspecified |
| M26.602 | Left temporomandibular joint disorder, unspecified |
| M26.603 | Bilateral temporomandibular joint disorder, unspecified |
| M26.609 | Unspecified temporomandibular joint disorder, unspecified side |
| M26.69 | Other specified disorders of temporomandibular joint |
| CDT Code(s) | |
| D9230 | inhalation of nitrous oxide/anxiolysis, analgesia |
| Suggested ICD-10-CM Diagnosis Code(s) | |
| F41.9 | Anxiety disorder, unspecified |
| CDT Code(s) | |
| D9910 | application of desensitizing medicament |
| Suggested I | CD-10-CM Diagnosis Code(s) |
| K03.0 | Excessive attrition of teeth |
| K03.1 | Abrasion of teeth |
| K03.2 | Erosion of teeth |
| CDT Code(s) | |
| D9944 | occlusal guard – hard appliance, full arch |
| D9945 | occlusal guard – soft appliance, full arch |
| D9946 | occlusal guard – hard appliance, partial arch |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 27 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s)

| F59 | Unspecified behavioral syndromes associated with physiological disturbances and physical factors |
|---------------------------------------|--------------------------------------------------------------------------------------------------|
| K03.0 | Excessive attrition of teeth |
| M26.601 | Right temporomandibular joint disorder, unspecified |
| M26.602 | Left temporomandibular joint disorder, unspecified |
| M26.603 | Bilateral temporomandibular joint disorder, unspecified |
| M26.609 | Unspecified temporomandibular joint disorder, unspecified side |
| M26.69 | Other specified disorders of temporomandibular joint |
| M26.89 | Other dentofacial anomalies |
| CDT Code(s) | |
| D9951 | occlusal adjustment – limited |
| Suggested ICD-10-CM Diagnosis Code(s) | |
| K03.0 | Excessive attrition of teeth |
| K03.81 | Cracked Tooth |
| K04.0 | Pulpitis |
| K06.010 | Localized gingival recession, unspecified |
| K06.011 | Localized gingival recession, minimal |
| K06.012 | Localized gingival recession, moderate |
| K06.013 | Localized gingival recession, severe |
| K06.020 | Generalized gingival recession, unspecified |
| K06.021 | Generalized gingival recession, minimal |

ADA American Dental Association[®]

Appendix 2: CDT Code to ICD (Diagnosis) Code Crosswalk Page 28 of 28 ©2024 American Dental Association (ADA). All rights reserved.

Suggested ICD-10-CM Diagnosis Code(s

| K06.022 | Generalized gingival recession, moderate |
|---------|----------------------------------------------------------------|
| K06.023 | Generalized gingival recession, severe |
| M26.601 | Right, temporomandibular joint disorder, unspecified |
| M26.602 | Left temporomandibular joint disorder, unspecified |
| M26.603 | Bilateral temporomandibular joint disorder, unspecified |
| M26.609 | Unspecified temporomandibular joint disorder, unspecified side |

