DENTAL QUALITY ALLIANCE™
Improving Oral Health Through Measurement

Please read the DQA Measures User Guide prior to implementing this measure.

DQA Measure Technical Specifications: Administrative Claims-Based Measures
Ambulatory Care Sensitive Emergency Department Visits for Dental Caries in Children

Description: Number of emergency department (ED) visits for caries-related reasons per 100,000 member months for children
Numerator: Number of ED visits with a caries-related diagnosis code among children 0 through 20 years
Denominator: All member months for children 0 through 20 years during the reporting year
Rate: (NUM/DEN)x100,000

Rationale: There are approximately 1 million ED visits per year for non-traumatic dental conditions in the United States and more than 200,000 visits are made by children (1, 2, 3). Untreated dental caries (tooth decay) and its sequelae (e.g., dental infections) account for almost 80% of these visits (2, 3). Dental caries is preventable, and use of the ED for dental caries related conditions results in substantial costs (1, 3) with 70% of ED visits for dental conditions among children in the United States being paid for by Medicaid (4). Because dental caries can be reduced and managed through outpatient care processes, caries-related ED visits represent "ambulatory care sensitive" visits - visits that are potentially avoidable through timely and effective use of the ambulatory health care system. Moreover, ED care for dental caries-related conditions is generally not definitive compared to that provided in primary care dental settings and often results in referral to primary care dental sites (5, 6, 7).

1. Allareddy V, Rampa S, Lee MK, Allareddy V, Nalliah RP. Hospital-based emergency department visits involving dental conditions: profile and predictors of poor outcomes and resource utilization. J Am Dent Assoc 2014;145(4):331-7.
2. Seu K, Hall KK, Moy E. Emergency Department Visits for Dental-Related Conditions, 2009. Healthcare Cost and Utilization Project Statistical Brief #143. Rockville, MD: Agency for Healthcare Research and Quality; November 2012. URL: http://www.hcup-us.ahrq.gov/reports/statbriefs/sb143.pdf [accessed on May 25, 2021].
3. Allareddy V, Nalliah RP, Haque M, Johnson BS, Rampa SB, Lee MK. Hospital-based emergency department visits with dental conditions among children in the United States: nationwide epidemiological data. Pediatr Dent 2014;37(5):393-9.
4. Wall T, Nasseh K, Vujicic M. Majority of dental-related emergency department visits lack urgency and can be diverted to dental offices. Health Policy Institute Research Brief. American Dental Association.
5. Cohen LA, Bonito AJ, Eicheldinger C, Manski RJ, Macek MD, Edwards RR, Khanna N. Comparison of patient visits to emergency departments, physician offices, and dental offices for dental problems and injuries. J Public Health Dent. 2011;71(1):13-22.
6. Hocker MB, Villani JJ, Borawski JB, Evans CS, Nelson SM, Gerardo CJ, Limkaken AT. Dental visits to a North Carolina emergency department: a painful problem. N C Med J. 2012; 73(5):346-51.
7. Lewis C, Lynch H, Johnston B. Dental complaints in emergency departments: a national perspective. Ann Emerg Med. 2003; 42(1):93-9.

National Quality Measures Clearing House Domain: Outcome[1]

National Quality Forum Domain: Outcome[2]

Institute of Medicine Aim: Equity, Safety, Timeliness

*Measure is endorsed by the Centers for Medicare and Medicaid Services (CMS) Consensus-Based Entity (CBE), formerly the National Quality Forum. Endorsed measures can now be found at **https://p4qm.org/measures**.
[1] **Outcome:** An outcome of care is a health state of a patient resulting from health care. Outcome measures are supported by evidence that the measure has been used to detect the impact of one or more clinical interventions. Measures in this domain are attributable to antecedent health care and should include provisions for risk-adjustment. available at: **https://www.ahrq.gov/gam/summaries/domain-definitions/index.html**. Accessed July 17, 2023.
[2] **Outcome**: "The health state of a patient (or change in health status) resulting from healthcare— desirable or adverse." National Quality Forum. "NQF Glossary."

National Quality Strategy Priority: Health and Wellbeing

Level of Aggregation: Program *(NOTE: This measure requires claims data from medical encounters. Consequently, this measure only applies to programs, such as Medicaid, or plans that provide both medical and dental benefits. Use of this measure for stand-alone dental benefit plans may result in feasibility issues due to lack of access to necessary data. Use by health plans that provide both medical and dental benefits may be considered after assessment of data element feasibility within the plans' databases.)*

Improvement Noted As: A lower rate indicates better quality.

Data Required: Administrative enrollment and claims data (medical); single year. When using claims data to determine service receipt, include only paid claims.

Measure Purpose: Examples of questions that can be answered through this measure at each level of aggregation:

1. What is the rate of emergency department visits for caries-related reasons in the enrolled population during the reporting period?
2. Over time, does the rate of emergency department visits by children for caries-related reasons stay stable, increase, or decrease?

Applicable Stratification Variables

1. Age: <1; 1-2; 3-5; 6-7; 8-9; 10-11; 12-14; 15-18; 19-20
2. ED Disposition Stratification: Discharged from ED; Inpatient Admissions

Ambulatory Care Sensitive Emergency Department Visits for Dental Caries Calculation

1. Calculate total eligible member months as the sum of all member months for subjects age 0 through 20 years (<21 years) as of the 15th or 30th day of the month as appropriate for when eligibility determinations are made. Either the 15th or the 30th should be selected and used consistently across all member months during the reporting year.

Reporting notes for age stratifications:

- Member months will be attributed to each age stratum based on the member's age as of the 15th or 30th day of the month. Either the 15th or the 30th should be selected and used consistently across all member months during the reporting year.
- One member can contribute member months to more than one age stratum.

YOU NOW HAVE DENOMINATOR (DEN) COUNT: Total member months

2. Identify all emergency department visits for caries-related reasons occurring during eligible member months within the reporting year:

   a. Identify a health care encounter as an ED visit if ANY of the following codes are present:

      - CPT codes 99281-99285 (ED visit for patient evaluation/management); **OR**
      - Revenue codes 0450-0459 (Emergency Room) or 0981 (professional fees for ER services); **OR**
      - CMS place of service code for professional claims - 23 (Emergency Room)

b. Member must be <21 years on date of visit.

c. Identify an ED visit as being caries related if:

i. any of the ICD-10-CM diagnosis codes in Table 1 is listed as a FIRST-LISTED diagnosis code associated with the visit

OR

ii. (a) any of the ICD-10-CM diagnosis codes in Table 2 is listed as a FIRST-LISTED diagnosis
AND
(b) any of the ICD-10-CM diagnosis codes in Table 1 is listed as an ADDITIONAL LISTED diagnosis.

Note: Codes from Table 2 must be accompanied by a code from Table 1 to qualify as a caries-related ED visit.

d. Count only one visit per member per day.

e. Sum the number of ED visits for caries-related reasons.

Reporting note for age stratifications: Numerator cases are stratified based on age on date of ED visit.

YOU NOW HAVE NUMERATOR (NUM) COUNT: Number of ED visits for caries-related reasons

3. Stratify the numerator by whether visit resulted in an inpatient admission or did not result in an inpatient admission:

a. Identify a caries-related ED visit as resulting in an inpatient admission if:

(i) the patient has an inpatient admission defined by UB Type of Bill = 11x OR 12x OR 41x

AND

(ii) that admission occurred within 48 hours:

[inpatient admit date] – [ED admit date] >= 0 days AND <= 2 days

b. Sum the number of caries-related ED visits that resulted in an inpatient admission.

Note: If there are 2 or more caries-related ED visits that occurred within 2 days of the same inpatient admission, **only one** of those ED visits should be counted as resulting in an inpatient admission. [Example: If there is one caries-related ED visit on Saturday and a second caries-related ED visit on Sunday with an inpatient admission also occurring on Sunday, then this would be counted as 2 ED visits with only one being counted as an inpatient admission.]

You now have the numerator stratum: caries-related ED visits that resulted in an inpatient admission

c. Identify caries-related ED visits not resulting in an inpatient admission:

[total caries-related ED visits]–[caries-related ED visits resulting in inpatient admission]

You have the numerator stratum: caries-related ED visits that did not result in an inpatient admission

4. Report
    a. Unduplicated number of ED visits in the numerator
    b. Unduplicated number of member months in denominator
    c. Rate per 100,000 member months: (NUM/DEN) x 100,000
    d. Rates for ED visits resulting in an inpatient admission and those not resulting in an inpatient admission

*** Note: Reliability of the measure score depends on quality of the data elements that are used to calculate the measure. The percentage of missing or invalid data for each data element used to calculate the measure must be investigated prior to measurement. Data elements with high rates of missing or invalid data will adversely affect the accuracy and reliability of the measure rate.***

Table 1. Caries-Related ICD-10-CM Diagnosis Codes

ICD-10-CM CODE	DESCRIPTION
KØ2.3	Arrested dental caries
KØ2.51	Dental caries on pit and fissure surface limited to enamel
KØ2.52	Dental caries on pit and fissure surface penetrating into dentin
KØ2.53	Dental caries on pit and fissure surface penetrating into pulp
KØ2.61	Dental caries on smooth surface limited to enamel
KØ2.62	Dental caries on smooth surface penetrating into dentin
KØ2.63	Dental caries on smooth surface penetrating into pulp
KØ2.7	Dental root caries
KØ2.9	Dental caries, unspecified
KØ3.89	Other specified diseases of hard tissues of teeth
KØ4.Ø	Pulpitis
KØ4.Ø1	Reversible Pulpitis
KØ4.Ø2	Irreversible pulpitis
KØ4.1	Necrosis of pulp
KØ4.2	Pulp degeneration
KØ4.3	Abnormal hard tissue formation in pulp
KØ4.4	Acute apical periodontitis of pulpal origin
KØ4.5	Chronic apical periodontitis
KØ4.6	Periapical abscess with sinus
KØ4.7	Periapical abscess without sinus
KØ4.8	Radicular cyst
KØ4.9Ø	Unspecified diseases of pulp and periapical tissues
KØ4.99	Other diseases of pulp and periapical tissues
KØ8.131	Complete loss of teeth due to caries, class I
KØ8.132	Complete loss of teeth due to caries, class II
KØ8.133	Complete loss of teeth due to caries, class III
KØ8.134	Complete loss of teeth due to caries, class IV
KØ8.139	Complete loss of teeth due to caries, unspecified class
KØ8.3	Retained dental root

KØ8.431	Partial loss of teeth due to caries, class I
KØ8.432	Partial loss of teeth due to caries, class II
KØ8.433	Partial loss of teeth due to caries, class III
KØ8.434	Partial loss of teeth due to caries, class IV
KØ8.439	Partial loss of teeth due to caries, unspecified class
KØ8.5Ø	Unsatisfactory restoration of tooth, unspecified
KØ8.51	Open restoration margins of tooth
KØ8.53Ø	Fractured dental restorative material without loss of material
KØ8.531	Fractured dental restorative material with loss of material
KØ8.539	Fracture dental restorative material, unspecified
KØ8.8	Other specified disorders of teeth and supporting structures
KØ8.89	Other specified disorders of teeth and supporting structures
KØ8.9	Disorder of teeth and supporting structures, unspecified
K12.2	Cellulitis and abscess of mouth
M26.79	Other specified alveolar anomalies
M27.2	Inflammatory conditions of jaws
M27.3	Alveolitis of jaws
M27.51	Perforation of root canal space due to endodontic treatment
M27.52	Endodontic overfill
M27.53	Endodontic underfill
M27.59	Other periradicular pathology associated with previous endodontic treatment

Table 2. Additional First-Listed ICD-10-CM Diagnosis Codes to Identify Caries-Related Visits when Paired with an Additional Listed Diagnosis Code from the Caries-Related ICD-10-CM Codes in Table 1

ICD-10-CM CODE	DESCRIPTION
LØ3.211	Cellulitis of face
LØ3.212	Acute lymphangitis of face
LØ3.213	Periorbital cellulitis
LØ3.221	Cellulitis of neck
LØ3.222	Acute lymphangitis of neck
LØ3.9Ø	Cellulitis, unspecified
LØ3.91	Acute lymphangitis, unspecified
R22.Ø	Localized swelling, mass and lump, head
R22.1	Localized swelling, mass and lump, neck
R6Ø.Ø	Localized edema
R6Ø.1	Generalized edema
R6Ø.9	Edema, unspecified