

## DQA Measure Specifications: Administrative Claims-Based Measures

### Adults with Diabetes – Oral Evaluation

**Description:** Percentage of adults with diabetes who received a comprehensive or periodic oral evaluation or a comprehensive periodontal evaluation within the reporting year

**Numerator:** Unduplicated number of adults with diabetes who received a comprehensive or periodic oral evaluation or a comprehensive periodontal evaluation

**Denominator:** Unduplicated number of adults with diabetes

**Rate:** NUM/DEN

**Rationale:** The 2018 Standards of Medical Care in Diabetes call for initial care management to include a referral to a dentist.<sup>1</sup> This recommendation recognizes the established bi-directional relationship between diabetes mellitus and periodontal disease.<sup>2,3</sup> Specifically, diabetes is associated with increased prevalence and severity of periodontal disease, while severe periodontal disease is associated with poor glycemic control. Oral evaluations represent an important entry point into the dental care system. Diagnosis and treatment planning for the prevention and treatment of periodontal disease at these visits offer patients appropriate dental care with the potential to improve diabetes outcomes.

#### References:

1. American Diabetes Association. Comprehensive Medical Evaluation and Assessment of Comorbidities: Standards of Medical Care in Diabetes – 2018. *Diabetes Care* 2018;41(S1):S28-S37.
2. Casanova L, Hughes FJ, Preshaw PM. Diabetes and periodontal disease: a two-way relationship. *British Dental Journal* 2014;217(8):433-7.
3. Chapple ILC, Genco R, working group 2 of the joint EFP/AAP workshop. Diabetes and periodontal diseases: consensus report of the Joint EFP/APP Workshop on Periodontitis and Systemic Diseases. *Journal of Clinical Periodontology* 2013;40(14):S106-12.

**AHRQ Domain:** Process<sup>1</sup>

**IOM Aim:** Equity, Effectiveness

**Level of Aggregation:** Program (*NOTE: This measure only applies to programs such as Medicaid that provide both medical insurance to identify people with diabetes and dental benefits to identify oral evaluations. Use of this measure as a requirement for stand-alone dental benefit plans will result in feasibility issues due to lack of access to appropriate data. Use by health plans that provide both medical insurance and dental benefits to a population may be considered after assessment of data element feasibility within the plans' databases.*)

**Improvement Noted As:** A higher score indicates better quality

**Data Required:** Dental administrative enrollment and claims data; single year (prior year needed for diabetes identification)

**Claims Data:** When using claims data to determine service receipt, include both paid and unpaid claims (including

---

<sup>1</sup>**Process (Clinical Quality Measure):** A process of care is a health care-related activity performed for, on behalf of, or by a patient. Process measures are supported by evidence that the clinical process—that is the focus of the measure—has led to improved outcomes. National Quality Measures Clearinghouse: <https://www.ahrq.gov/gam/summaries/domain-definitions/index.html>. Accessed April 17, 2019.

pending, suspended, and denied claims).

**Measure Purpose:** Examples of questions that can be answered through this measure at each level of aggregation:

1. What is the percentage of adults with diabetes who received a comprehensive, periodic, or periodontal oral evaluation during the reporting period?
2. Does the percentage of adults with diabetes who received a comprehensive, periodic, or periodontal oral evaluation vary by any of the stratification variables?
3. Are there disparities in receipt of comprehensive, periodic, or periodontal oral evaluations based on stratification variables?
4. Over time, does the percentage of adults with diabetes who receive a comprehensive, periodic, or periodontal oral evaluation stay stable, increase or decrease?

#### Applicable Stratification Variables

1. Age: (e.g. 18, 19-20, 21-24, 25-34, 35-44, 45-54, 55-64, 65-75, 75-84, 85+)
2. Geographic Location (e.g., rural; suburban; urban)
3. Race/Ethnicity
4. Socioeconomic Status (e.g., premium or income category)

**GUIDANCE FOR IMPLEMENTERS:** Diabetes identification for inclusion in the denominator follows the approach used for the [NCQA/HEDIS® measure Comprehensive Diabetes Care](#) to achieve alignment with existing diabetes measures as part of the CMS Core Set of Adult Quality Measures for Medicaid (Adult Core Set).<sup>1</sup> Measure implementers should obtain all necessary licenses from [NCQA](#) to access the complete value set for the measure for any reporting purpose. NCQA's Medication List Directory (MLD) of NDC codes for Dementia Medications and Diabetes Medications can be found at <https://www.ncqa.org/hedis/measures/hedis2019-ndc-license/hedis-2019-final-ndc-lists/>. For more information on the 2020 Adult Core Set, please access the link: <https://www.medicare.gov/medicaid/quality-of-care/downloads/medicaid-adult-core-set-manual.pdf> \*\*\*

#### Adults with Diabetes: Oral Evaluation Calculation

1. Check if the subject meets age criterion at the last day of the reporting year:<sup>2</sup>
  - a. If subject is  $\geq 18$  years, then proceed to next step.
  - b. If age criterion is not met or there are missing or invalid field codes (e.g., date of birth), then STOP processing. This subject does not get counted in the denominator.
2. Check if subject is continuously enrolled for the reporting year (12 months) with a single gap of no more than 45 days (one-month gap for programs that determine eligibility on a monthly basis):<sup>3</sup>
  - a. If subject meets continuous enrollment criterion, then proceed to next step.
  - b. If subject does not meet enrollment criterion, then STOP processing. This subject does not get counted.

<sup>2</sup> Medicaid programs exclude those enrollees who do not qualify for dental benefits. The exclusions criterion should be reported along with the number and percentage of members excluded.

<sup>3</sup> **Enrollment in "same" plan vs. "any" plan:** At the state program level (e.g., Medicaid) a criterion of "any" plan applies versus at the health plan (e.g., MCO) level a criterion of "same" plan applies. The criterion used should be reported with the measure score. While this prevents direct aggregation of results from plan to program, each entity is given due credit for the population it serves. Thus, states with multiple MCOs should not merely "add up" the plan level scores but should calculate the state score from their database to allow inclusion of individuals who may be continuously enrolled but might have switched plans in the interim.

3. Exclude subject if dually eligible for Medicaid and Medicare during the reporting year:
  - a. If subject is a dual eligible; STOP processing. This subject is excluded from the denominator.
  - b. If subject is NOT a dual eligible, then proceed to next step.
4. Exclude subject if care received at a Hospice facility:
  - a. If subject had any Hospice encounter claims (NCQA Hospice value set) in the reporting year or the year prior, then STOP processing. This subject does not get counted.
  - b. If subject did not have any Hospice encounter claims (NCQA Hospice value set) in the reporting year or the year prior, then proceed to next step.
5. Exclude subjects age 66 and older as of December 31 of the measurement year with frailty and advanced illness:
  - a. If subject meets both of the following frailty and advanced illness criteria to be excluded:
    - (1) At least one claim/encounter for frailty (Frailty Value Set) during the measurement year

**AND**

    - (2) Any of the following during the measurement year or the year prior to the measurement year (count services that occur over both years):
      - At least two outpatient visits (Outpatient Value Set), observation visits (Observation Value Set), ED visits (ED Value Set) or nonacute inpatient encounters (Nonacute Inpatient Value Set) on different dates of service, with an advanced illness diagnosis (Advanced Illness Value Set). Visit type need not be the same for the two encounters.
      - At least one acute inpatient encounter (Acute Inpatient Value Set) with an advanced illness diagnosis (Advanced Illness Value Set)
      - A dispensed dementia medication (Dementia Medications List, see link to Medication List Directory in Guidance for Reporting above)
  - b. If subject does not meet the frailty and advanced illness criteria, then proceed to next step.

**YOU NOW HAVE A COUNT OF SUBJECTS WHO MEET THE AGE AND ENROLLMENT REQUIREMENT (AFTER EXCLUSIONS)**

6. Check if subject has diabetes:
  - a. Adults with diabetes (type I or type II) can be identified by either claims/encounter data that include a diagnosis of diabetes or by pharmacy data. Both claims/encounter data and pharmacy data must be checked, but a patient needs to be identified by only one method for inclusion in the denominator.

If subject meets at least one of the following criteria (among i, ii, and iii) in either the measurement year or the preceding year, then include in denominator:

Claims/Encounter Data

- i. At least one acute inpatient encounter (Acute Inpatient Value Set) with a diagnosis of diabetes (Diabetes Value Set) without telehealth (Telehealth Modifier Value Set; Telehealth POS Value Set)

OR

- ii. The subject has at least two outpatient visits (Outpatient Value Set), observation visits (Observation Value Set), ED visits (ED Value Set) or nonacute inpatient encounters (Nonacute Inpatient Value Set) on different dates of service, with a diagnosis of diabetes (Diabetes Value Set). Visit type need not be the same for the two visits.

Note 1: Only include nonacute inpatient encounters (Nonacute Inpatient Value Set) without telehealth (Telehealth Modifier Value Set; Telehealth POS Value Set).

Note 2: Only one of the two visits may be a telehealth visit, a telephone visit or an online assessment. Identify telehealth visits by the presence of a telehealth modifier (Telehealth Modifier Value Set) or the presence of a telehealth POS code (Telehealth POS Value Set) associated with the outpatient visit. Use the code combinations below to identify telephone visits and online assessments:

- A telephone visit (Telephone Visits Value Set) with any diagnosis of diabetes (Diabetes Value Set)
- An online assessment (Online Assessments Value Set) with any diagnosis of diabetes (Diabetes Value Set)

OR

#### Pharmacy Claims Data

- iii. The subject was dispensed insulin or oral hypoglycemics/antihyperglycemics during the measurement year or year prior to the measurement year on an ambulatory basis. (Diabetes Medications List, see link to Medication List Directory in Guidance for Reporting above)
- b. Exclude subjects who do not have a diagnosis from the NCOA Diabetes Value Set (type I or type II Diabetes) and are in the NCOA Diabetes Exclusion Value Set (e.g., have gestational diabetes, steroid/ drug induced diabetes)
    - i. If subject has any encounter claims within the Diabetes Exclusion Value Set in the reporting year or the year prior and was not identified in 6a(i) or 6a(ii) above, then STOP processing. This subject does not get counted. (NOTE: If subject was identified in step 6a(i) or 6a(ii) as having diabetes, this subject should remain in the denominator and not be excluded.)
    - ii. If subject does not have any encounter claims from the Diabetes Exclusion Value Set in the reporting year or the year prior, then proceed to next step.

**YOU NOW HAVE DENOMINATOR (DEN) COUNT: Subjects with diabetes who meet the age and enrollment criteria**


7. Check if subject received a comprehensive, periodic, or periodontal oral evaluation:
  - a. If [CDT CODE] = D0120 or D0150 or D0180, then include in **numerator**, STOP processing.
  - b. If not, then service was not provided, STOP processing. This subject is already included in the denominator but will not be included in the numerator.

**YOU NOW HAVE NUMERATOR (NUM) COUNT: Subjects with diabetes who received a periodontal or comprehensive or periodic oral evaluation**

8. Report:
  - a. Unduplicated count of subjects in numerator

- b. Unduplicated count of subjects in denominator before exclusions
- c. Unduplicated count of subjects in denominator after exclusions
- d. Measure rate (NUM/DEN after exclusions)

\*\*\* Note: Reliability of the measure score depends on the quality of the data that are used to calculate the measures. The percentages of missing and invalid data for these data elements must be investigated prior to measurement. Data elements with high rates of missing or invalid data will adversely affect the subsequent counts that are recorded. For example, records with missing or invalid CDT CODE may be excluded from measurement. These records are assumed to not have had a qualifying service. In this case, a low quality data set will result in a measure score that will not be reliable.\*\*\*



2021 American Dental Association on behalf of the Dental Quality Alliance (DQA) ©. All rights reserved. Use by individuals or other entities for purposes consistent with the DQA's mission and that is not for commercial or other direct revenue generating purposes is permitted without charge.

Dental Quality Alliance Measures (Measures) and related data specifications, developed by the Dental Quality Alliance (DQA), are intended to facilitate quality improvement activities.

These Measures are intended to assist stakeholders in enhancing quality of care. These performance Measures are not clinical guidelines and do not establish a standard of care. The DQA has not tested its Measures for all potential applications.

Measures are subject to review and may be revised or rescinded at any time by the DQA. The Measures may not be altered without the prior written approval of the DQA. The DQA shall be acknowledged as the measure steward in any and all references to the measure.

Measures developed by the DQA, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and DQA. Neither the DQA nor its members shall be responsible for any use of these Measures.

THE MEASURES ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND

Limited proprietary material is contained in the Measure specifications for convenience.

For NCQA value set to identify individual with diabetes:

Copyright © 2019 by the National Committee for Quality Assurance, all rights reserved.

For Proprietary Codes:

The code on Dental Procedures and Nomenclature is published in Current Dental Terminology (CDT), Copyright © 2020 American Dental Association (ADA). All rights reserved.

Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The DQA, American Dental Association (ADA), and its members disclaim all liability for use or accuracy of any terminologies or other coding contained in the specifications.

THE SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.